**Web**Results 1 - 10 of about 1,550,000 for mapping configuration identifier. (0.53 seconds)

Storage File Mapping in Databases

Figure 4: Oracle File Mapping Structures. Configuration Identifier ... The file

mapping interface uses a **configuration identifier**, generated by the storage ...

www.veritas.com/Vrt/wl?a_id=2876&dest_url=http://www.veritas.com%2Fvan%2Farticles%2F2876.jsp - 70k -

[Cached](#) - [Similar pages](#)

Approaches for mapping XML document structures to a common ...

The <identifier> element in the **configuration** file must match the root element

in the ... Native XML **mapping** does not require a **mapping configuration** file; ...

publib.boulder.ibm.com/infocenter/db2help/topic/com.ibm.db2.li.of.doc/api/iispuxml.htm - 12k -

[Cached](#) - [Similar pages](#)

Algorithm mapping configuration settings

Algorithm **mapping configuration** settings. Use this page to view a list of custom uniform resource **identifier** (URI) algorithms for digest value calculation, ...

publib.boulder.ibm.com/.../wasinfo/v6r0/topic/com.ibm.websphere.express.doc/info/exp/ae/uwbs_algomapn.html - 7k -

[Cached](#) - [Similar pages](#)

SNA Frame Relay Access Support Commands

frame-relay dlc, The Frame Relay data link connection **identifier** ... Use the

frame-relay map llc2 interface **configuration** command to map LLC2 traffic to a ...

www.cisco.com/univercd/cc/td/doc/product/software/ios11/rbook/rfras.htm - 16k -

[Cached](#) - [Similar pages](#)

Operating the Cisco Workload Agent for OS/390

Stop command **identifier**, jobname. Identifier of the batch job or task to be stopped.

... The groupname keyword must be **configured** in the Service **Mapping** ...

www.cisco.com/univercd/cc/td/doc/product/software/wla/wla_ug/wlaops.htm - 23k -

[Cached](#) - [Similar pages](#)

Selecting XKB Configuration

The easiest and the most natural way how to specify a keyboard **mapping** is to use

... Section "InputDevice" Identifier "Keyboard1" Driver "Keyboard" Option ...

www.xfree86.org/current/XKB-Config2.html - 7k -

[Cached](#) - [Similar pages](#)

IANA Matrix

Bootstrap Protocol (BOOTP) and Dynamic Host Configuration Protocol. BOOTP and

DHCP Extensions ... Internet/Xerox Network System (XNS) Protocol **Mappings** ...

www.iana.org/numbers.html - 101k - Sep 24, 2005 -

[Cached](#) - [Similar pages](#)

Mapping for Identifiers

keyword **identifier** { ... configuration statements for individual characteristics

... The following example shows the **mapping** between the CLI statements and ...

www.juniper.net/techpubs/software/junos/junos72/junoscript72-guide/html/config-guide5.html - 6k -

[Cached](#) - [Similar pages](#)

macosxlabs.org - Documentation

... the RecordName **mapping** contains the attribute names for a Users **identifier**,

... The Authentication panel allows the **configuration** of a directory server ...

archive.macosxlabs.org/documentation/directory_services/configuration/config.html - 13k -

[Cached](#) - [Similar pages](#)


Microsoft Windows XP - User Authentication and Account Management

During an NFS call, Server for NFS receives a UNIX user **identifier** (UID) from

... You can also **configure advanced mapping** in which a UNIX user is **mapped to** ...

www.microsoft.com/resources/documentation/Windows/XP/all/reskit/en-us/prci_unix_pnze.asp - 16k -

[Cached](#) - [Similar pages](#)



Google Desktop Search



8

9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google